

Cocaine Anonymous
The Historical, Professional, and Scientific Literature

Compiled by William White, Rita Chaney, and Barbara Weiner

(Last Updated May 2015)

- Cocaine Anonymous. (1993) *Hope, Faith, and Courage: Stories from the Fellowship of Cocaine Anonymous*. Los Angeles, CA: Cocaine Anonymous World Services, Inc.
- Cohen, S. (1984). Cocaine Anonymous. *Drug Abuse and Alcoholism Newsletter*, 13(3), 1-3.
- Crape, B.L., Latkin, C. A., Laris, A.S., & Knowlton, A.R. (2002). The effects of sponsorship in 12-step treatment of injection drug users. *Drug and Alcohol Dependence*, 65(3), 291-301.
- Daley, D. C., Baker, S., Donovan, D. M., Hodgkins, C. G., & Perl, H. (2011). A combined group and individual 12-Step facilitative intervention targeting stimulant abuse in the NIDA Clinical Trials Network: STAGE-12. *Journal of Groups In Addiction & Recovery*, 6(3), 228-244.
- Ehrlich, P., & McGeehan, M. (1985). Cocaine recovery support groups and the language of Recovery. *Journal of Psychoactive Drugs*, 17(1), 11-17.
- Flynn, P.M., Joe, G.W., Broome, K.M., Simpson, D. & Brown, B. (2006). Looking back on cocaine dependence: Reasons for recovery. *The American Journal on Addictions*, 12, 398-411.
- Donovan, D.M., Daley, D.C., Brigham, G.S., Hodgkins, C.C., Perl, H.J., et al. (2013). Stimulant abuser groups to engage in 12-step: A multisite trial in the National Institute on Drug Abuse Clinical Trials Network, *Journal of Substance Abuse Treatment*, 44, 103-114.
- Donovan, D.M., & Wells, E.A. (2007). ‘Tweaking 12-Step’: the potential role of 12-Step self-help group involvement in methamphetamine recovery. *Addiction* 102(Supplement 1), 121-129.
- Doyle, S.R., & Donovan D.M. (2014). Applying an ensemble classification tree approach to the prediction of a 12-step facilitation intervention with stimulant abusers. *Psychology of Addictive Behaviors*, 28(4), 1127-1143.
- Galanter, M., Dermatis, H., Keller, D. & Trujillo, M. (2002). Network therapy for cocaine abuse: Use of family and peer supports. *American Journal of Addiction*, 11(2), 161-6.
- Humphreys, K. (2004). *Circles of recovery: Self-help organizations for addictions*. Cambridge: Cambridge University Press.

- Laudet, A (2008) The impact of Alcoholics Anonymous on other substance abuse related Twelve Step programs. In Galanter, M., and Kaskutas, L. A. (Eds.) *Recent Developments in Alcoholism: Research on Alcoholics Anonymous and Spirituality in Addiction Recovery*, Vol. 18. New York, NY: Springer, p. 71-89.
- Mary R., & Mary L. (1990). *Stepping stones to recovery from cocaine/crack addiction*. Seattle, WA: Glen Abbey Books.
- McAuliffe, W.E., & Albert, J. (1992). *Clean Start*. New York: The Guilford Press.
- McKay, J.R., Van Horn, D., Rennert, L., Drapkin, M., Ivey, M. & Koppenhaver, J. (2013). Factors in sustained recovery from cocaine dependence. *Journal of Substance Abuse Treatment*, 45, 163-172.
- NIDA (2004). *Adopting 12-Step philosophy may enhance treatment outcomes of individual & group counseling for cocaine addiction*. Department of Health and Human Services; National Institute on Drug Abuse.
- Rawson, R.A., Obert, J.L., McCann, M.J., Smith, D.P., & Ling, W. (1990). Neurobehavioral treatment for cocaine dependency. *Journal of Psychoactive Drugs*, 22(2), 159-171.
- Room, R., & Greenfield, T. (1993). Alcoholics anonymous, other 12-step movements and psychotherapy in the US population, 1990. *Addiction*, 88(4), 555-562.
- Schottenfeld, R.S., Moore, B., Pantalon, M.V. (2011). Contingency management with community reinforcement approach or twelve-step facilitation drug counseling for cocaine dependent pregnant women or women with young children. *Drug and Alcohol Dependence*, 118(1), 48-55.
- Shaffer, H.J. and Jones, S.B. (1989) *Quitting Cocaine: The Struggle Against Impulse*. Lexington, MA: Lexington Books.
- Siegal, H.A.; Li, L.; Rapp, R.C. (2002). Abstinence trajectories among treated crack cocaine users. *Addictive Behaviors*, 27(3), 437-449.
- Simpson, D. D., Joe, G. W., & Broome, K. M. (2002). A national 5-year follow-up of treatment outcomes for cocaine dependence. *Archives of General Psychiatry*, 59(6), 539-544.
- Wagoner, J.L.; Piazza, N.J. (1993). Group therapy for adult substance abusers on probation. *Journal of Offender Rehabilitation*, 19(3/4), 41-56.
- Washton, A.M., & Stone-Washton, N. (1990). Abstinence and relapse in outpatient cocaine patients. *Journal of Psychoactive Drugs*, 22(2), 135-147.

- Waldorf, D., Reinerman, C., & Murphy, S. (1991). *Cocaine changes: The experience of using and quitting*. Philadelphia, PA: Temple University.
- Weiss, R.D.; Griffin, M.L.; Gallop, R.; Luborsky, L.; Siqueland, L.; Frank, A.; Onken, L.S.; Daley, D.C.; Gastfriend, D.R. (2000). Predictors of self-help group attendance in cocaine dependent patients. *Journal of Studies on Alcohol*, 61(5), 714-719.
- Weiss, R.D., Griffin, M.L., Najavits, L.M., Hufford, C., Kogan, J., Thompson, H.J., Albeck, J.H., Bishop, S., Daley, D.C., Mercer, D., & Siqueland, L. (1996). Self-help activities in cocaine dependent patients entering treatment: results from NIDA collaborative cocaine treatment study. *Drug and Alcohol Dependence*, 2, 43(1-2), 79-86.
- Weiss, R.D., Griffin, M.L., Gallop, R., Onken, L.S., Gastfriend, D.R., Daley, D., Crits-Christoph, P., Bishop, S., & Barber, J.P. (2000). Self-help group attendance and participation among cocaine dependent patients. *Drug and Alcohol Dependence*, Vol 60(2), Aug 2000, 169-177.
- Weiss, R.D., Griffin, M., Gallop, R.J., Najavits, L.M., Arlene, F., Crits-Christoph, P., Thase, M.E., Blaine, J., Gastfriend, D.R., Daley, D., & Luborsky, L. (2005). The effect of 12-Step self-help group attendance and participation on drug use outcomes among cocaine-dependent patients. *Drug and Alcohol Dependence*, 77(2), 177-184.
- What is C. A.?* (1987) Center City, Minnesota: Hazelden, 1987. (Pamphlet)
- White, W. L. (1998). *Slaying the dragon: The history of addiction treatment and recovery in America*. Bloomington, IL: Chestnut Health Systems.
- White, W. L. (2004). Addiction recovery mutual aid groups: An enduring international phenomenon. *Addiction*, 99, 532-538.

Studies of Related Interest

- Agosti, V, Nunes, E. & Ocepeck-welikson, K. (1996). Patient factors related to early attrition from an outpatient cocaine research clinic. *The American Journal of Drug and Alcohol Abuse*, 22 (1), 29-39.
- Bergman, B.G., Greene, M.C., Hoepfner, B.B., Slaymaker, V. & Kelly, J. (2013). Psychiatric comorbidity and 12-step participation: A longitudinal investigation of treated young adults. *Alcoholism: Clinical and Experimental Research*, 38(2), 501-510.
- Bristow-Braitman, A. (1995). Addiction recovery: 12-Step programs and cognitive-behavioral psychology. *Journal of Counseling & Development*, 73(4), 414-418.
- Brown, B.S.; Kinlock, T.W.; Nurco, D.N. (2001). Self-help initiatives to reduce the risk of relapse. In: F.M. Tims, C.G. Leukefeld, and J.J. Platt, Eds., *Relapse and recovery in addictions*, New Haven, CT: Yale University Press, (pp. 275-302).

- Carroll, K.M. (2000). Implications of recent research for program quality in cocaine dependence treatment. *Substance Use & Misuse*, 35(12-14), 2011-30.
- Carroll, K.M., Nich, C., Shi, J.M., Eagan, D., Ball, S.A. (2012). Efficacy of disulfiram and Twelve Step Facilitation in cocaine-dependent individuals maintained on methadone: a randomized placebo-controlled trial. *Drug & Alcohol Dependence*, 126(1-2), 224-31.
- Chappel, J.N. & DuPont, R.L. (1999). Twelve-step and mutual-help programs for addictive disorders. *Psychiatric Clinics of North American*, 22(2), 425-46.
- Chi, F. W., Kaskutas, L. A., Sterling, S., Campbell, C. I., & Weisner, C. (2009). Twelve-Step affiliation and 3-year substance use outcomes among adolescents: social support and religious service attendance as potential mediators. *Addiction*, 104(6), 927-939.
- 'Cocaine: Beyond the Looking Glass'(1987). Center City, Minnesota: Hazelden.
- Crits-Christoph, P., Gibbons, M.B., Barber, J.P., Gallop, R., Beck, A.T., Mercer, D., Tu, X., Thase, M.E., Weiss, R.D. & Frank, A. (2003). Mediators of outcome of psychosocial treatments for cocaine dependence. *Journal of Consulting Clinical Psychology*, 71(5), 918-25.
- Daniulaityte, R. Carlson, R.G., & Siegal, H.A. (2007). "Heavy users," "controlled users," and "quitters": understanding patterns of crack use among women in a Midwestern city. *Substance Use & Misuse*, 42(1), 129-52.
- Davey-Rothwell, M.A., Kuramoto, S.J., & Latkin, C.A. (2008). Social networks, norms, and 12-step group participation. *American Journal of Drug & Alcohol Abuse*, 34(2), 185-93.
- DiGangi, J., Majer, J., Mendoza, L., Droege, J., Jason, L., & Contreras, R. (2014). What promotes wisdom in 12-Step recovery? *Journal of Groups in Addiction & Recovery*, 9 (1), 31-39.
- Donovan, D.M., Ingalsbe, M.H., Benbow, J. & Daley, D.C. (2013). 12-step interventions and mutual support programs for substance use disorders: An overview. *Social Work and Public Health*, 28(3-4), 313-32.
- Dossett, W. (2013). Addiction, spirituality and 12-step programmes. *International Journal of Social Work*, 56(3), 369-383.
- Etheridge, R.M., Craddock, S.G., Hubbard, R.L., & Rounds-Bryant, J.L. (1999). The relationship of counseling and self-help participation to patient outcomes in DATOS. *Drug & Alcohol Dependence*, 57(2), 99-112.
- Fenster, J. (2006). Characteristics of clinicians likely to refer clients to 12-Step programs versus a diversity of post-treatment options. *Drug and Alcohol Dependence*, 83(3), 238-246.

- Fiorentine, R. (1999). After drug treatment: Are 12-step programs effective in maintaining abstinence? *American Journal of Drug and Alcohol Abuse*, 25(1), 93-116.
- Fiorentine, R., & Hillhouse, M. P. (2000). Drug treatment and 12-step program participation: The additive effects of integrated recovery activities. *Journal of Substance Abuse Treatment*, 18(1), 65-74.
- Flaherty, M.T., Kurtz, E. White, W.L., & Larson, A. (2014). An interpretive phenomenological analysis of secular, spiritual, and religious pathways of long-term addiction recovery. *Alcoholism Treatment Quarterly*, 32(4), 337-356.
- Flynn, P.M., Joe, G.W., Broome, K.M., Simpson, D.D., & Brown, B.S. (2003). Looking back on cocaine dependence: reasons for recovery. *American Journal of Addiction*, 12(5), 398-411.
- Forman, R.F. (2002). One AA meeting doesn't fit all: 6 keys to prescribing 12-step programs. *Psychiatry Online*, 1(10), 1-6.
- Galanter, M. (2007). Spirituality and recovery in 12-step programs: An empirical model. *Journal of Substance Abuse Treatment*, 33, 265-272.
- Galanter, M., Dermatis, H., Post, S. & Santucci, C. (2013). Abstinence from drugs of abuse in community-based members of Narcotics Anonymous. *Journal of Studies on Alcohol and Drugs*, 74(2), 349-52.
- Galanter, M., Egelko, S., De Leon, G.T., & Rohrs, G. (1993). A general hospital day program combining peer-led and professional treatment of cocaine abusers, *Psychiatric Services*, 44(7), 644-649.
- Humphreys, K. (1999). Professional interventions that facilitate 12-step self-help group involvement. *Alcohol Research and Health*, 23, 93-98.
- Humphreys, K., Mankowski, E.S., Moos, R.H. & Finney, J.W. (1999). Do enhanced friendship networks and active coping mediate the effect of self-help groups on substance Abuse? *Annals of Behavioral Medicine*, 21(1), 54-60.
- Janowsky, D.S., Boone, A., Morter, S. & Howe, L. (1999). Personality and alcohol/substance-use disorder patient relapse and attendance at self-help group meetings. *Alcohol and Alcoholism*, 34(3), 359-69.
- Jason, L.A., Ferrari, J.R. & Miller, S. (2011). 12-step involvement among a U.S. sample of Oxford House residents. *Journal of Substance Abuse Treatment*, 41, 37-44.

- Johnson, J. E., Finney, J. W., & Moos, R. H. (2006). End-of-treatment outcomes in cognitive-behavioral treatment and 12-step substance use treatment programs: Do they differ and do they predict 1-year outcomes?. *Journal of Substance Abuse Treatment*, 3141-50.
- Kaskutas, L. A., Subbaraman, M. S., Witbrodt, J., & Zemore, S. E. (2009). Regular article: Effectiveness of Making Alcoholics Anonymous Easier: A group format 12-step facilitation approach. *Journal of Substance Abuse Treatment*, 37228-239.
- Kelly, J.F. (2003). Self-help for substance-use disorders: history, effectiveness, knowledge gaps, and research opportunities. *Clinical Psychology Review*, 23(5), 639-664.
- Kelly, J.F. (2011). The role of mutual-help groups in extending the framework of treatment. *Alcohol Research & Health*, 33(4), 350-355.
- Kelly, J. F., Brown, S. A., Abrantes, A., Kahler, C. W., & Myers, M. (2008). Social recovery model: An 8-year investigation of adolescent 12-step group involvement following inpatient treatment. *Alcoholism: Clinical and Experimental Research*, 32(8), 1468-1478.
- Kelly J.F., Kahler, C.W. & Humphreys K. (2010) Assessing why substance use disorder patients drop out from or refuse to attend 12-step mutual help groups: the 'REASONS' questionnaire. *Addiction Research and Theory*, 18, 316–25.
- Kelly, J.F.; McKellar, J.D.; Moos, R. (2003). Major depression in patients with substance use disorders: Relationship to 12-Step self-help involvement and substance use outcomes. *Addiction*, 98(4), 499-508.
- Kelly, J. F., & Moos, R. (2003). Dropout from 12-step self-help groups: Prevalence, predictors, and counteracting treatment influences. *Journal of Substance Abuse Treatment*, 24(3), 241-250.
- Kelly, J.F., Stout, R.L., Greene, M.C. & Slaymaker, V. (2014). Young adults, social networks, and addiction recovery: Post treatment changes in social ties and their roles as mediator of 12-step participation. *PLoS ONE*, 9(6), e100121.
- Kelly, J.F., Stout, R.L. & Slaymaker, V. (2013). Emerging adults' treatment outcomes in relation to 12-step mutual-help attendance and active involvement. *Drug and Alcohol Dependence*, 129(1-20), 151-7.
- Kelly, J.F. & Urbanoski, K. (2012). Youth recovery contexts: The incremental effects of 12-step attendance and involvement on adolescent outpatient outcomes. *Alcoholism: Clinical and Experimental Research*, 36(7), 1219-29.
- Kelly, J.F., Urbanoski, K.A., Hoepfner, B.B. et al. (2011) Facilitating comprehensive assessment of 12-step experiences: a multidimensional measure of mutual-help activity. *Alcoholism Treatment Quarterly*, 29, 181–203.

- Kelly, J. F., & Yeterian, J. D. (2008). 4: Mutual-help groups. *Evidence-Based Adjunctive Treatments*, 61-105.
- Kelly, J. F., & Yeterian, J. D. (2008). 12-Step involvement and peer helping in day hospital and residential programs. *Substance Use & Misuse*, 43(12/13), 1882-1903. .
- Kendra, M.S., Weingardt, K.R., Cucciare, M.A. & Timko, C. (2015). Satisfaction with substance use treatment and 12-step groups predicts outcomes. *Addictive Behaviors*, 42, 44-50.
- Kingree, J.B. (1997). Measuring affiliation with 12-step groups. *Substance Use and Misuse*, 32(2), 181-194.
- Kissin, W., McLeod, C., & McKay, J. (2003). The longitudinal relationship between self-help group attendance and course of recovery. *Evaluation And Program Planning*, 26 (Longitudinal Evaluations of Substance Abuse Treatment), 311-323.
- Kleber, H. (2002). *KAP keys for clinicians: Based on TIP #10: Assessment and treatment of cocaine-abusing methadone-maintained patients*. Rockville, MD: Center for Substance Abuse Treatment.
- Labbe, A.K., Greene, C., Bergman, B.G., Hoepfner, B. & Kelly, J.F. (2013). The importance of age composition of 12-step meetings as a moderating factor in the relation between young adults' 12-step participation and abstinence, *Drug and Alcohol Dependence*, 133(2), 541-7.
- Labbe, A.K., Slaymaker, V. & Kelly, J.F. (2014). Toward Enhancing Twelve-Step Facilitation among young people: a systematic qualitative investigation of Young Adults' 12-step Experiences. *Substance Abuse*, 35(4), 399-407
- Lamberg, L. (2004). Road to recovery for cocaine users can start in primary care setting. *Journal of the American Medical Association*, 292(15), 1807-9.
- Laudet, A. (2003) Attitudes and beliefs about 12-step groups among addiction treatment clients and clinicians: Toward identifying obstacles to participation. *Substance Use & Misuse*, 38(14). 2017-2047.
- Laudet, A. (2000). Substance abuse treatment providers' referral to self-help: Review and future empirical directions. *International Journal of Self-Help and Self-Care*, 1, 213-26.
- Laudet, A., Magura, S., Cleland, C., Vogel, H., Knight, E. and Rosenblum, A. (2004) The Effect of 12-step-based fellowship participation on abstinence among dually-diagnosed persons: A two year longitudinal study. *Journal of Psychoactive Drugs*, 36(2), 207-216.

- Laudet, A. B., Magura, S., Vogel, H. S., & Knight, E. L. (2003). Participation in 12-step-based fellowships among dually-diagnosed persons. *Alcoholism Treatment Quarterly*, 21(2), 19-39.
- Laudet, A. B., Morgen, K., & White, W. L. (2006). The role of social supports, spirituality, religiousness, life meaning and affiliation with 12-step fellowships in quality of life satisfaction among individuals in recovery from alcohol and drug problems. *Alcoholism Treatment Quarterly*, 24(1-2), 33-73.
- Laudet, A., Stanick, V. & Sands, B. (2007). The effect of onsite 12-step meetings on post-treatment outcomes among polysubstance-dependent outpatient clients. *Evaluation Review*, 31(6), 613-646.
- Litt, M.D., & Mallon, S.D. (2003). The design of social support networks for offenders in outpatient drug treatment. *Federal Probation*, 67(2), 15-20.
- Lyons, T, Chandra, G. & Goldstein, J. (2006). Stimulant use and HIV risk behavior: the influence of peer support group participation. *AIDS Education and Prevention*, 18(5), 461-73.
- Majer, J.M., Jason, L.A., Aase, D.M., Droege, J.R. & Ferrari, J.R. (2013). Categorical 12-step involvement and continuous abstinence at 2 years. *Journal of Substance Abuse Treatment*, 44, 46-51.
- Majer, J.M., Droege, J.R. & Jason, L.A. (2010). A categorical assessment of 12-step involvement in relation to recovery resources. *Journal of Groups in Addiction and Recovery*, 5, 155-167.
- Manning, V., Best, D., Faulkner, N., Titherington, E., Morinan, A., Keaney, F., Gossop, M. & Strang, J. (2012). Does active referral by a doctor or 12-Step peer improve 12-Step meeting attendance? Results from a pilot randomised control trial. *Drug and Alcohol Dependence*, 126(1-2):131-7.
- Matusow, H., Rosenblum, A., Fong, C., Laudet, A., Uttaro, T., & Magura, S. (2012). Factors associated with mental health clinicians' referrals to 12-step groups. *Journal of Addictive Diseases*, 31(3), 303-312.
- McAuliffe, W.E., Albert, J., Cordill-London, G. & McGarraghy, T.K. (1990-1991). Contributions to a social conditioning model of cocaine recovery. *International Journal of Addictions*, 25(9A-10A), 1141-77.
- McCrary, B.S.; Delaney, S.I. (1995). Self-help groups. In: R.K. Hester and W.R. Miller (Eds.), *Handbook of Alcoholism Treatment Approaches: Effective Alternatives*, Needham Heights, MA: Allyn and Bacon, pp. 160-175.

- McKay, J.R., Foltz, C., Stephens, R.C., Leahy, P.J., Crowley, E.M. & Kissin, W. (2005). Predictors of alcohol and crack cocaine use outcomes over a 3-year follow-up in treatment seekers. *Journal of Substance Abuse Treatment*, 28 Suppl 1, S73-82.
- McKay, J.R.; Lynch, K.G.; Pettinati, H.M.; Shepard, D.S. (2003). Examination of potential sex and race effects in a study of continuing care for alcohol- and cocaine-dependent patients. *Alcoholism: Clinical and Experimental Research*, 27(8), 1321-1323.
- McKay, J.R.; Pettinati, H.M.; Morrison, R.; Feeley, M.; Mulvaney, F.D.; Gallop, R. (2002). Relation of depression diagnoses to 2-year outcomes in cocaine-dependent patients in a randomized continuing care study. *Psychology of Addictive Behaviors*, 16(3), 225-235.
- McKay, J.R., McLellan, A.T., Alterman, A.I., Cacciola, J.S., Rutherford, M.J. & O'Brien, C.P. (1998). Predictors of participation in aftercare sessions and self-help groups following completion of intensive outpatient treatment for substance abuse. *Journal of Studies on Alcohol*, 59(2), 152-62.
- McKay, J.R., Merikle, E., Mulvaney, F.D., Weiss, R.V. & Koppenhaver, J.M. (2001). Factors accounting for cocaine use two years following initiation of continuing care. *Addiction*, 96(2), 213-25.
- Morgan-Lopez, A.A., Saavedra, L.M., Hien, D.A., Campbell, A.N., Wu, E. & Ruglass, L. (2013). Synergy between seeking safety and twelve-step affiliation on substance use outcomes for women. *Journal of Substance Abuse Treatment*, 45(2), 179-89.
- Morgenstern, J., Bux, D. A., Jr., Labouvie, E., Morgan, T., Blanchard, K. A., & Muench, F. (2003). Examining mechanisms of action in 12-Step community outpatient treatment. *Drug and Alcohol Dependence*, 72(3), 237-247.
- Morgenstern, J., Kahler, C. W., Frey, R. M., & Labouvie, E. (1996). Modeling therapeutic response to 12-step treatment: Optimal responders, nonresponders, partial responders. *Journal of Substance Abuse*, 8(1), 45-59.
- Nowinski, J. (1999). Self-help groups for addictions. In Nowinski, J., McCrady, B.S., & Epstein, E.E. (Eds), *Addictions: A comprehensive guidebook*. (pp. 328-346). New York, NY, US: Oxford University Press.
- Nunes, E. (2004). Cocaine. In: Spitzer, Robert L. (Ed); First, Michael B. (Ed); Gibbon, Miriam (Ed); Williams, Janet B. W. (Ed), (2004). *Treatment companion to the DSM-IV-TR casebook*. , (pp. 95-105). Arlington, VA, US: American Psychiatric Publishing, Inc.
- Obuchowsky, M. & Zweben, J.E. (1987). Bridging the gap: The methadone client in 12-Step programs, *Journal of Psychoactive Drugs*, 19(3), 301-302.

- Ouimette, P.C., Finney, J. & Moos, R. H. (1997). Twelve-step and cognitive-behavioral treatment for substance abuse: A comparison of treatment effectiveness. *Journal of Consulting and Clinical Psychology*, 65(2), 230-240.
- Passetti, L. L., & Godley, S. H. (2008). Adolescent substance abuse treatment clinicians' self-help meeting referral practices and adolescent attendance rates. *Journal of Psychoactive Drugs*, 40, 29-40.
- Passetti, L. L., & White, W. L. (2008). Recovery support meetings for youths: Considerations when referring young people to 12-Step and alternative groups. *Journal of Groups in Addiction and Recovery*, 2(2-4), 97-121.
- Pickard, J.G., Laudet, A., & Grahovac, I.D. (2013). The philosophy and practice of Alcoholics Anonymous and related 12-step programs. In: Vaughn, M.G. (Ed); Perron, B.E. (Ed), *Social work practice in the addictions. Contemporary social work practice*, (pp. 119-136). New York, NY, US: Springer Science & Business Media.
- Rynes, K. N., & Tonigan, J. S. (2011). Do social networks explain 12-step sponsorship effects? A prospective lagged mediation analysis. *Psychology of Addictive Behaviors*, 432-439.
- Rynes, K.N. & Tonigan, S. (2012). Does pathway into 12-step programs influence 12-step-related benefit? *Alcoholism Treatment Quarterly*, 30, 179-189.
- Sanders, J. (2011). Feminist perspectives on 12-step recovery: A comparative descriptive analysis of women in Alcoholics Anonymous and Narcotics Anonymous. *Alcoholism Treatment Quarterly*, 29, 357-378.
- Schuckit, M.A. (1994). The treatment of stimulant dependence. *Addiction* 89(11), 1559-1563.
- Schulz, J.E. & Chappel, J.N. (1998). Twelve step programs. In: A.W. Graham, T.K. Schultz, B.B. Wilford, Eds. *Principles of Addiction Medicine. Second Edition*, Chevy Chase, MD: American Society of Addiction Medicine, Inc., pp. 693-705.
- Shine, B. (2000). Some cocaine abusers fare better with cognitive-behavioral therapy, others with 12-step programs. *NIDA Notes*, 15(1), 9.
- Smith, D.E. (1986). Cocaine-alcohol abuse: Epidemiological, diagnostic and treatment considerations. *Journal of Psychoactive Drugs*, 18(2), 117-129.
- Smith, D. & Wesson, D. (Eds., 1985). *Treating the cocaine abuser*. Center City, Minnesota: Hazelden.
- Subbaraman, M. S., Kaskutas, L. A., & Zemore, S. (2011). Sponsorship and service as mediators of the effects of Making Alcoholics Anonymous Easier (MAAEZ), a 12-step facilitation intervention. *Drug and Alcohol Dependence*, 116117-124.

- Timko, C., DeBenedetti, A., & Billow, R. (2006). Intensive referral to 12-step self-help groups and 6-month substance use disorder outcomes. *Addiction, 101*, 678-688.
- Timko, C., & DeBenedetti, A. (2007). A randomized controlled trial of intensive referral to 12-Step self-help groups: one-year outcomes. *Drug and Alcohol Dependence, 90*, 270-279.
- Tonigan, J.S., Martinez-Papponi, B., Hagler, K.J., Greenfield, B.L. & Venner, K.L. (2013). Longitudinal study of urban American Indian 12-Step attendance, attrition and outcome. *Journal of Studies on Alcohol and Drugs, 74*, 514-520.
- Tonigan, J.S., Rynes, K.N. & McCrady, B.S. (2013). Spirituality as a change mechanism in 12-step programs: a replication, extension, and refinement. *Substance Use & Misuse, 48*(12), 1161-73.
- Tonigan, S., Rynes, K., Toscova, R. & Hagler, K. (2013). Do changes in selfishness explain 12-step benefit: A prospective lagged analysis. *Substance Abuse, 34*(1), 13-19.
- Villano C, Rosenblum A, Magura S, Laudet A, et al., (2005). Mental health clinicians' 12-Step referral practices with dually diagnosed patients. *International Journal of Self Help & Self Care, 3*(1/2), 63-71.
- Washton, A.A. (1990). *Staying off cocaine: Cravings, other drugs, and slips*. Center City, Minnesota: Hazelden (Pamphlet).
- Washton, A. (1988). Preventing relapse to cocaine. *Journal of Clinical Psychiatry, 49* Suppl, 34-8.
- Wells, E.A., Donovan, D.M., Daley, D.C., Doyle, S.R., Brigham, G., Garrett, S.B., Ingalsbe, M.H., Hatch-Maillette, M.A., Perl, H.I. & Walker, R. (2014). Is level of exposure to a 12-step facilitation therapy associated with treatment outcome? *Journal of Substance Abuse Treatment, 47*(4), 265-74.
- Wells, E.A., Peterson, P.L., Gainey, R.R., Hawkins, J.D. & Catalano, R.F. (1994). Outpatient treatment for cocaine abuse: a controlled comparison of relapse prevention and twelve-step approaches. *American Journal of Drug and Alcohol Abuse, 20*(1), 1-17.
- Witbrodt, J. & Kaskutas, L.A. (2005). Does diagnosis matter? Differential effects of 12-step participation and social networks on abstinence. *American Journal of Drug & Alcohol Abuse, 31*(4), 685-707.
- Witbrodt, J., Mertens, J., Kaskutas, L. A., Bond, J., Chi, F., & Weisner, C. (2012) Do 12-step meeting trajectories over 9 years predict abstinence? *Journal of Substance Abuse Treatment, 43*(1), 30-43.

- Zemore, S.E., (2007). A role for spiritual change in the benefits of 12-Step involvement. *Alcoholism: Clinical & Experimental Research*, 31(10) m Supplemental, 76s-79s.
- Zemore, S. E., Kaskutas, L. A., & Ammon, L. N. (2004). In 12-step groups, helping helps the helper. *Addiction*, 99(8), 1015-1023.
- Zemore, S. E., & Kaskutas, L. A. (2008). 12-Step involvement and peer helping in day hospital and residential programs. *Substance Use & Misuse*, 43(12/13), 1882-1903.
- Zemore, S., Subbaraman, M., & Tonigan, S. (2013). Involvement in 12-step activities and treatment outcomes, *Substance Abuse*, 34, 1, 60-69.